

# MATERIAL SAFETY DATA SHEET

[According to the Regulation (EC) No 1907/2006 of the European Parliament.]

# Section 1: Identification of the preparation and of the company

# 1.1. Identification of the substance or preparation

Product name Product code

# 1.2. Use of substance/preparation

#### 1.3. Company/ undertaking identification

Manufacturer:

Telephone: Website: e-mail:

1.4. Emergency telephone

Pro Bond "EXTREM" 1101

UV Gel

Finger Fashion Nailcare e.K. Moltekstr. 11 66333 Völklingen +49 6898- 44820 0 www.finger-fashion.de info@finger-fashion.de

112 (emergency number)

# **Section 2: Hazards Identification**

# 2.1. Classification of the substances or composition

# Emergency overview:

- May be slightly toxic.
- May cause moderate skin injury (reddening & swelling).
- May cause chemical burn in eye.

# Environmental hazards:

Product is not classified as dangerous for the environment.

# 2.2. Labelling

# Code letter and symbols of danger



Xi Irritant

**GHS/CLP Classification** 



# 2.3. Other hazardous

Not determined

#### MATERIAL SAFETY DATA SHEET

Product Name:Pro Bond "EXTREM"Product code:1101Version: 1.1.25./ENManufacturer:Finger Fashion Nailcare e.K.Address:Moltkestr. 11 66333 Völklingen

Former Date: 24.04.2014

Telephone: +49 6898- 44820 0

# Section 3: Composition/ Information of ingredients

## 3.1. Substance

Not include.

# 3.2. Composition

Chemical Identity concentration rang		CAS No	EINECS No	Hazard symbols and risk phrases	GHS/CLP Classification
Aliphatic Urethane Acrylate	30.0-35.0	N/E	N/E	<b>Xi</b> R 36	Eye Irrit. 2 H319;
Urethane Methacrylate	25.0-30.0	N/E	N/E	<b>Xi</b> R36	Eye Irrit. 2 H319;
Acrylated Amine Synergist	10.0-15.0	159034-91-0	N/E	<b>Xi</b> R36/38	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Glycol Hema- Methacrylate	8.0-15.0	97-90-5	202-617-2	<b>Xi</b> R37, R43	Skin Sens. 1 H317; Skin Irrit. 2 H335;
Trimethylopropane Trimethacrylate	5.0-8.0	3290-92-4	221-950-4	<b>N</b> R51/53	Aquatic Chronic 2 H411;
Tripropylene Glycol Diacrylate	5.0-8.0	42978-66-5	256-032-2	Xi R36/37/38; R43 N R51/53, R52/53	Eye Irrit. 2 H315; Skin Sens. 1 H317; STOT SE 3 H319; Skin Irrit. 2 H335; Aquatic Chronic 2 H411; Aquatic Chronic 3 H412;
Etoxylated Trimethylolpropane Triacrylate	3.0-5.0	28961-43-5	N/E	<b>Xi</b> R:36/37/38	Eye Irrit. 2 H315; STOT SE 3 H319; Skin Irrit. 2 H335;
Epoxy Acrylate	3.0-5.0	71281-65-7	N/E	None	None
Methacrylic Acid	1.0-3.0	79-41-4	201-204-4	<b>Xn, Xi</b> R21/22, R35	Acute Tox. 4 H302+H312 Skin Corr. 1 H314 Skin Irrit. 2 H335
Benzoyl Isopropanol	1.0-2.0	7473-98-5	231-272-0	<b>Xn</b> R22	Acute Tox. 4 H302;
Hydroxycyclohexyl Phenyl Ketone	0.5-2.0	947-19-3	213-426-9	None	None
Benzophenone	0.0-2.0	119-61-9	204-337-6	<b>Xi</b> R:36/37/38	Eye Irrit. 2 H315; STOT SE 3 H319; Skin Irrit. 2 H335;
CI51319	0.0-0.3	6358-30-1	228-767-9	<b>Xi</b> R:43	Skin Sens. 1 H317;

Full text of R-phrases is provided in section 16.

# Section 4: First aid measures

#### First aid for skin:

Remove contaminated clothing and wash contact area with soap and water for 15 minutes. *First aid for eye:* 

Flush with plenty of water for 15 minutes and seek medical attention.

# First aid for ingestion:

If appreciable quantities are swallowed, seek medical attention.

MATERIAL SAFETY DATA SHEET			
Product Name:	Pro Bond "EXT	ſREM"	
Product code:	1101	Version: 1.1.25./EN	Former Date: 24.04.2014
Manufacturer:	Finger Fashio	n Nailcare e.K.	
Address:	Moltkestr. 11	66333 Völklingen	Telephone: +49 6898- 44820 0

## First aid for inhalation:

In case of exposure to a high concentration of vapor or mist, remove person to fresh air. If breathing has stopped, administer artificial respiration and seek medical attention.

# **Section 5: Fire-fighting Measures**

#### Extinguishing media:

Use carbon dioxide or dry chemical for small fires; aqueous foam or water for large fires.

#### Fire fighting instructions:

Remove all ignition sources. Wear self-contained breathing apparatus and complete personal protective equipment when entering confined areas where potential for exposure to vapors or products of combustion exists.

# Unusual hazards:

High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the violent rupture of storage vessels or containers. Avoid the use of a stream of water to control fires since frothing can occur.

# Section 6: Accidental release measures

#### Spill or release procedures

Spontaneous polymerization can occur. Eliminate ignition sources. Use eye and skin protection. Place leaking containers in a well ventilated area. Dike and recover large spills. Soak up small spills with inert solids (such as vermiculite, clay) and sweep/shovel into disposal container. Wash spill area with strong detergent and water solution; rinse with water, but minimize water use during clean-up. Do not flush to sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response

Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/

# Section 7: Handling and storage

#### 7.1. Handing

Avoid contact with skin and eyes. Avoid breathing vapor. Keep container closed when not in use. Avoid prolonged exposure to light. Remove all contaminated clothing, shoes, belts and other leather goods immediately. Incinerate leather goods (including shoes). Wash contaminated clothing thoroughly before reuse. Wash skin thoroughly with soap and water after handling. Solvents should not be used to clean skin because of increased penetration potential.

#### 7.2. Storage

Store in a cool place, away from heat and light. Store at temperatures below 100° F.

#### 7.3. Specyfic use(s)

Nail gel.

#### MATERIAL SAFETY DATA SHEET

Product Name:	Pro Bond "EXTREM"	
Product code:	1101	Version: 1.1.25./EN
Manufacturer:	Finger Fashion Nailcare e.k	
Address:	Moltkestr. 11 66333 Völklin	gen

Former Date: 24.04.2014

Telephone: +49 6898- 44820 0

# Section 8: Exposure controls/ personal protection

#### 8.1. Exposure limit values

The product composition has no components subject to control exposure in the work place.

#### 8.2. Exposure controls

To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product .

#### 8.2.1. Occupational exposure controls

#### Respiratory protection

A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by nuisance level organic vapor dust masks can be used, however the use of the respirator is limited. Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

#### Hand protection

Wear impervious gloves (Neoprene).

# Eye protection

Wear chemical splash goggles

#### Skin protection

Wear impervious clothes.

# 8.2.2. Environmental exposure controls

Do not allow to enter large amounts of ground water, sewage, waste or soil.

# Section 9: Physical and chemical properties

# 9.1. General Information

Appearance	
Odor & Odor Threshold	

clear, mobile liquid characteristic acrylate odor

# 9.2. Important health, safety and environmental information

РН	no data
Viscosity %	no data
Decomposition/Temperature	no data
Octanol/WaterPartitioning Coefficient Log Po/w	no data
Vapor Pressure:	no data
Vapor Density	no data
Evaporation Rate	no data
Ignition	no data
Solubility In Water (20°C)	not solube
Flash Point(°F/°C)	no data
Flammable Limit(vol%)	no data
Auto-ignition Temperature(vol%)	no data

#### 9.2. Other information

No data.

#### MATERIAL SAFETY DATA SHEET

Product Name:	Pro Bond "EXTREM"	
Product code:	1101	Version: 1.1.25./EN
Manufacturer:	Finger Fashion Nailcare e.k	Κ.
Address:	Moltkestr. 11 66333 Völklin	igen

Former Date: 24.04.2014

Telephone: +49 6898- 44820 0

# Section 10: Stability and reactivity

### 10.1. Conditions to Avoid:

Storage >100 °F, exposure to light, loss of dissolved air, loss of polymerization inhibitor, contamination with incompatible materials.

#### 10.2. (Materials to Avoid):

Polymerization initiators including peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust and string bases.

#### 10.3.Hazardous Decomposition Products:

No data.

# Section 11: Toxicological information

Acute Oral Toxicity Acute Dermal Toxicity Acute Inhalation Toxicity Irritation – skin Irritation – Eye Sensitization Mutagenicity Sub-chronic Toxicity No information available No information available No information available No information available N/DA N/DA N/DA

# Section 12: Ecological Information

#### 12.1. Ecotoxicity

Harmful to aquatic organisms, May cause long term adverse effects in the aquatic environment.

# 12.2. Mobility

No data.

# 12.3. Persistance and degradability

No data.

# 12.4. Bioaccumulative potential

Mobility in soil and water is low.

- <u>12.5. Results of PBT assessment</u> Not include.
- 12.6. Other adverse effects

Not tested.

# Section 13: Disposal considerations

Non-contaminated, properly inhibited product is not a RCRA hazardous waste. It is the generators responsibility to determine what is classified as a hazardous waste. Comply with all federal, state, and local regulations.

MATERI	AL SAFETY DATA SHEET	
Pro Bond "EXTREM"		
1101 V	ersion: 1.1.25./EN	Former Date: 24.04.2014
Finger Fashion Nailcare e.K.		
Moltkestr. 11 66333 Völklinge	en	Telephone: +49 6898- 44820 0
	Pro Bond "EXTREM" 1101 V Finger Fashion Nailcare e.K.	1101 Version: 1.1.25./EN

Dispose of dicing materials and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate.

# Section 14: Transport information

DOT (49 CFR 172)	
Proper Shipping Name:	Non-Regulated Material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	None
Emergency Response Guidebook (ERG) #:	N/A
IATA (DGR):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	None
Packaging Instructions:	None
IMO (IMDG):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	None
Emergency Schedule (EmS)#:	N/A

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP and ODS's), as defined by the U.S. Clean Air Act: • Benzophenone, CAS# 119-61-9 (SOCMI)	
Clean Water Act: Priority Pollutant	This product contains no chemicals listed under the U.S. Clean Water Act Priority Pollutant List.	
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other applications as an indirect food additive.	
Occupational Safety and Health Act	This product is considered to be a hazardous chemical under the OSHA Hazard Communication Standard. Its hazards are: • Immediate (acute) health hazard • Delayed (chronic) health hazard • Reactive hazard	
RCRA	This product is not considered to be a hazardous waste under RCRA (40 CFR 261).	
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Sec. 302 as extremely hazardous substances.	
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 304 as extremely hazardous chemical for emergency release notification (" CERCLA" List)	
SARA Title III: Section 311-312:	This product is considered hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are:	

# Section 15: Regulatory information

MATERIAL SAFETY DATA SHEET		
e: 24.04.2014		
49 6898- 44820		

	<ul> <li>Immediate (acute) health hazard</li> </ul>	
	<ul> <li>Delayed (chronic) health hazard</li> </ul>	
	Reactive hazard	
	This product contains no chemicals subject to the reporting requirements	
SARA Title III: Section 313:	of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.	
TSCA Section 8(b): Inventory:	This product contains chemicals listed on the TSCA inventory or	
TSCA Significant New Use Rule:	otherwise complies with TSCA premanufacture notification requirements. None of the chemicals listed have a SNUR under TSCA	
	None of the chemicals listed have a SNUR under TSCA	
International Regulations:		
	Titanium dioxide CAS # 13463-67-7 is on the DSL list. WHMIS = n/da	
	Hydroxycyclohexyl phenyl ketone CAS #947-19-3 is on the DSL list.	
CDSL: Canadian Inventory	WHMIS = n/da	
(on Canadian Transitional List)	Benzophenone, CAS #119-61-9 is on the DSL list. WHMIS = n/da	
	Ethylene glycol dimethacrylate CAS #97-90-5 is on the DSL list. WHMIS =	
	D2B. • HAZARD SYMBOLS: Xi: Irritant	
	• RISK PHRASES: R36/37/38 Irritating to eyes, respiratory system and	
	skin. R51/53 Harmful to aquatic organisms, May cause long term adverse	
EINECS: European Inventory:	effects in the aquatic environment. <b>R52/53</b> Harmful to aquatic life with	
	long lasting effects.	
	<ul> <li>SAFETY PHRASES: S3 Keep in cool place. S7 Keep container</li> </ul>	
	tightly closer. <b>S9</b> Keep container in a well ventilated place. <b>S16</b>	
	Keep away from sources of ignitition - No smoking!. S20	
	When using do not eat or drink. S37/39 Wear suitable	
	protective clothing and gloves.	

# Section 16: Other information

#### Full range of R-Phrases from Section 3.

R21/22 Harmful in contact with skin and if swallowed.

- R36/37/38 Irritating to eyes, respiratory system and skin.
- R43 May cause sensitization by skin contact.
- R51/53 Harmful to aquatic organisms, may cause long term adverse effects in the aquatic environment.
- R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### S-Phrases

S3	Keep in co	ool place.
----	------------	------------

- S7 Keep container tightly closer.
- S9 Keep container in a well ventilated place.
- S16 Keep away from sources of ignitition No smoking!.
- S20 When using do not eat or drink.
- S37/39 Wear suitable protective clothing and gloves.

# Full range of H-Phrases from Section 3.

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

0

MATERIAL SAFETY DATA SHEET				
Product Name:	Pro Bond "EXTREM"			
Product code:	1101	Version: 1.1.25./EN	Former Date: 24.04.2014	
Manufacturer:	Finger Fashion Nailcare e.K.			
Address:	Moltkestr. 11 66333 Völklingen		Telephone: +49 6898- 44820 0	

# P-Phrases

P235	Keep cool.
P233	Keep container tightly closed.
P403	Store in well-ventilated place.
P210	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective Glover/ protective clothing/ eye protection/ face protection.

## Disclaimer

While Finger Fashion believes that the data contained herein are accurate and derived from qualified sources, the data are not to be taken as a warranty or representation for which Finger Fashion assumes legal responsibility. They are offered solely for your consideration, investigation and verification. Any use of these data information must be determinate by the user to be in accordance with applicable Federal, state and local laws regulations.

Finger Fashion requires all Customers who receive this Security Data Record to study it carefully in order to be informed of any dangers presented by the product. As far as security is concerned, the Customer should:

Inform his employees, agents and sub-contractors of information contained in this form. Supply one copy of this form to each one of his own Customers for this product. Ask for these same Customers to inform in turn their own Employees and Customers.

THE ABOVE INFORMATION MAY BE BASED IN PART ON INFORMATION PROVIDED BY COMPONENT SUPPLIERS AND IS BELIEVED TO BE CORRECT AS OF THE DATE HEREOF. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OF THESE DATA, THE RESULTS TO BE OBTAINED FROM THE USE OF THE MATERIAL, OR THE HAZARDS CONNECTED WITH SUCH USE. SINCE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL AND WITH WHICH WE MAY BE UNFAMILIAR, AND SINCE DATA MADE AVAILABLE SUBSEQUENT TO THE DATE HEREOF MAY SUGGEST MODIFICATION OF THE INFORMATION, WE ASSUME NO RESPONSIBILITY FOR THE RESULT OF ITS USE. THIS INFORMATION AND MATERIAL IS FURNISHED ON THE CONDITION THAT THE PERSON RECEIVING IT SHALL MAKE HIS/HER OWN DETERMINATION AS TO THE SUITABILITY OF THE MATERIAL FOR HIS/HER PARTICULAR PURPOSE AND ON THE CONDITION THAT HE/SHE ASSUME THE RISK OF HIS/HER USE THEREOF.